



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/498,396	02/04/2000	Saeed Anooshfar	3994(CFP1317US)	8772
5514	7590	04/21/2006	EXAMINER	
FITZPATRICK CELLA HARPER & SCINTO			SHINGLES, KRISTIE D	
30 ROCKEFELLER PLAZA			ART UNIT	
NEW YORK, NY 10112			PAPER NUMBER	

2141

DATE MAILED: 04/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/498,396

Applicant(s)

ANOOSH FAR, SAEED

Examiner

Kristie Shingles

Art Unit

2141

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 01 February 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### Per Applicant's Request for Continued Examination:

*Claims 1, 7, 21 and 23-25 have been amended.*

*Claims 1-25 are pending.*

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/1/2006 has been entered.

### ***Response to Arguments***

2. Applicant's arguments filed 2/1/2006 have been fully considered but they are not persuasive.

A. **Regarding amended claims 1, 7, 21 and 23-25**, Applicant argues that *Kumpf* (US 6,581,098) fails to teach a plurality of scanner nodes.

A.1. Examiner respectfully disagrees. Although *Kumpf* illustrates only one scanner node in the drawings, *Kumpf* states "the server is connected to at least one multifunction peripheral" (col.2 lines 39-40, col.2 line 67-col.3 line 4), thus *Kumpf*'s system is extendible to a plurality of multifunction peripheral devices. The rejection of claims 1, 7, 21 and 23-25 is therefore maintained.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 1, 2, 4, 5, 7, 8, 10, 11, 18, 19 and 21-25** are rejected under 35 U.S.C. 103(a) as being unpatentable over *Lo et al* (US 5,911,044) in view of *Cunningham* (US 6,208,436), further in view of *Maniwa et al* (US 5,768,483) and further in view of *Kumpf* (US 6,581,098).

**Regarding claim 1**, *Lo et al* teach a computer network scanning system for fulfilling a scan order over a computer network (col.1 lines 14-16), said system comprising: at least one computer terminal adapted to receive input for creating the scan order and sending the scan order to an order entry server; at least one order entry server computer configured to receive the scan order from the computer terminal and to create and distribute scan orders to at least once scanner node, each order entry server computer being coupled to said at least one computer terminal through the computer network; and at least one scanner node, each scanner node being coupled to said at least one computer terminal and each order entry server computer through the computer network, each scanner node being configured to receive and process scan orders sent to the scanner node by at least one of the order entry servers, and each scanner node being configured to generate a scanned image based on the received scan order and to send the scanned

Art Unit: 2141

image to the network address included in the received scan order (col.2 lines 22-25 and col.24 lines 65-67).

*Lo et al* does not teach at least one computer terminal adapted to receive input including any address for sending scanned image, the address being input by a requestor. *Cunningham* teaches at least one computer terminal adapted to receive input, the scan order including at least one network address to which a scanned image is to be sent, the address being input by a requestor (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61 of *Cunningham*). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* by having at least one computer terminal adapted to receive input including any address for sending scanned image, the address being input by a requestor because the system has the ability to send the scanned image to a third party.

*Lo et al* in view of *Cunningham* does not teach each scanner node being configured to select a scan order from a plurality of scan orders received. However, *Maniwa et al* teach each scanner node being configured to select a scan order from a plurality of scan orders received from at least one of the order entry servers (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53; where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by each scanner node being configured to select a scan order from a plurality of scan orders received because this allows orders to be processed in a variety of manners to include based on size, priority, sender of the order and can thus help to create more efficient processing of the orders.

*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach at least one computer terminal adapted to retrieve a scanner node having a suitable scan capability from among a plurality of scanner nodes, to receive input for creating the scan order for scanning an image at the retrieved scanner node, and at least one order entry server computer configured to retrieve the scanner node having the suitable scan capability based on an instruction by the computer terminal and to create and distribute in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device for performing the selected function(s) via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al* by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Regarding claim 4**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*, teach the computer network scanning system of claim 1, *Lo et al* further teach wherein each order entry server computer comprises: a user interface module coupled to the computer network and adapted to receive scanner settings and parameters for the scan order from the terminal(s) (col.26 lines 28-29); a scanner directory service module coupled to the user interface module and configured to provide a capability profile for each scanner node on the computer network (col.14

Art Unit: 2141

lines 40-45); a scan order reconciler module coupled to the scanner directory service module and to the user interface module and adapted to receive scanner settings and parameters for the scan order inputted through the user interface module, the scan order reconciler module configured to compare a capability profile for a scanner node with the inputted scanner settings and parameters for consistency and to provide notification through the user interface module of any inconsistencies (col.12 lines 12-18, 25-27 and 32-35); a script writer module coupled to and adapted to receive input from the scan order reconciler module and configured to create the scan order by translating scanner settings and parameters inputted from the terminal through the user interface module into a script that can be parsed by the scanner nodes (col.13 lines 55-56).

Yet, *Lo et al* fails to teach an email server module. However, *Cunningham* teaches an email server module adapted to receive the scan order from the script writer module and configured to send electronic mail messages to any address designated in the scan order and to send the scan order to any scanner node on the computer network (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* by having an email server module because a module is needed to transmit orders and messages between the terminal, server computer, and scanner.

**Regarding claim 7,** *Lo et al* teach a computer network scanning method (col.23 lines 38-40) for fulfilling a scan order over a computer network having at least one scanner node (col.1 lines 14-16), said method comprising: creating the scan order at a local computer terminal, wherein the scan order includes an identification of an item to be scanned (col.3 lines 26-28 and

Art Unit: 2141

col.15 line 21) and an address of at least one of the individuals (col.9 line 2); submitting the scan order to at least one scanner node for processing; processing the scan order at the scanner node; and updating the scanner node(s) on the computer network (col.1 lines 14-16).

*Lo et al* does not teach the selection of the individuals address from a group. *Cunningham* teaches selection from the group comprising (A) recipients of the scanned document (pg.2, section 0026), and (B) recipients of notification of completion of the scan order, wherein the recipients of notification of completion of the scan order may comprise individuals other than a requestor that initiates the scan order (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* by having the selection of the individuals address be from a group of recipients of the scanned document and recipients of notification of completion because different individuals may be interested in different parts of the scanning process.

*Lo et al* in view of *Cunningham* does not teach displaying the identification of the item to be scanned in the scan order. However, *Maniwa et al* teaches displaying the identification of the item to be scanned in the scan order (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53 where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by displaying the identification of the item to be scanned in the scan order because this allows the user to double check whether the correct order has been chosen for processing, and also notifies the user of which order is being currently processed by the scanner.



*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach wherein the local computer terminal retrieves a scanner node having a suitable scan capability from among a plurality of scanner nodes based on an instruction by the local computer terminal, and wherein the scan order is created in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device based on the selected function(s) it is capable of performing via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al* by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Referring to claim 11,** *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the method of claim 7, as applied above, *Cunningham* further teaches wherein the step of submitting uses electronic mail (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* by using electronic mail because this is an efficient way of communication.

**Regarding claim 18,** *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the computer network scanning system of claim 1, *Lo et al* further teach wherein each order entry server computer comprises: a user interface module coupled to the computer network and adapted to receive scanner settings and parameters for the scan order from the terminal(s) (col.26 lines 28-29); a scanner directory service module coupled to the user interface module and configured to provide a capability profile for each scanner node on the computer network (col.14 lines 40-45); a scan order reconciler module coupled to the scanner directory service module and the user interface module and adapted to receive scanner settings and parameters for the scan order inputted through the user interface module, the scan order reconciler module configured to compare a capability profile for a scanner node with the inputted scanner settings and parameters for consistency and to provide notification through the user interface module of any inconsistencies (col.12 lines 12-18, 25-27 and 32-35); a script writer module coupled to and adapted to receive input from the scan order reconciler module and configured to create the scan order by translating scanner settings and parameters inputted from the terminal through the user interface module into a script that can be parsed by the scanner nodes (col.13 lines 55-56); and a central database coupled to the script writer module and to the computer network, the central database accessible over the computer network by all scanner nodes and terminals on the computer network, the central database adapted to store and retrieve scan orders generated by the script writer module (col.15 lines 27-30).

**Referring to claim 19,** *Lo et al* teach the computer network scanning system of claim 18. Yet, *Lo et al* does not teach the use of electronic mail. However, *Cunningham* teaches an email server module coupled to the computer network and to the central database and configured to

Art Unit: 2141

send electronic mail messages to any address designated in the scan order (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* by using electronic mail because this is an efficient way of communication.

**Regarding claim 21,** *Lo et al* teach a computer network scanning method for fulfilling a scan order over a computer network having at least one scanner node (col.1 lines 14-16 and col.23 lines 38-40), said method comprising: creating the scan order at a local computer terminal, wherein the scan order includes an identification of an item to be scanned (col.3, lines 26-28 and col.15 line 21) and an address of at least one individual (col.9 line 2); storing the scan order in a central database (col.15 lines 27-30); retrieving the scan order for a scanner node; processing the retrieved scan order at the scanner node designated in the scan order; and updating the central database (col.16 lines 10-11).

*Lo et al* does not teach the selection of the individuals address from a group. *Cunningham* teaches selection from the group comprising (A) recipients of the scanned document (pg.2, section 0026), and (B) recipients of notification of completion of the scan order, wherein the recipients of notification of completion of the scan order may comprise individuals other than a requestor that initiates the scan order (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* by having the selection of the individuals address be from a group of

recipients of the scanned document and recipients of notification of completion because different individuals may be interested in different parts of the scanning process.

*Lo et al* in view of *Cunningham* does not teach displaying the identification of the item to be scanned in the scan order. However, *Maniwa et al* teaches displaying the identification of the item to be scanned in the scan order (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53 where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by displaying the identification of the item to be scanned in the scan order because this allows the user to double check whether the correct order has been chosen for processing, and also notifies the user of which order is being currently processed by the scanner.

*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach wherein the local computer terminal retrieves a scanner node having a suitable scan capability from among a plurality of scanner nodes, wherein the scanner node is retrieved based on an instruction by the local computer terminal, and wherein the scan order is created in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device based on the selected function(s) it is capable of performing via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al*

Art Unit: 2141

by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Regarding claim 23,** *Lo et al* teach an electronically-readable medium storing a computer program (col.23 lines 16-19) for permitting a computer to perform a method comprising the steps of creating a scan order; submitting the scan order for processing to scanner nodes on a computer network; processing the scan order at the scanner nodes (col.1 lines 14-16 and col.2 lines 23-25); and updating the scanner node(s) on the computer network (col.17 lines 12-15).

*Lo et al* does not teach creating a scan order including any address for sending scanned image set by a requestor's input performed through a computer network. *Cunningham* teaches creating a scan order including any address for sending scanned image set by a requestor's input performed through a computer network order (col.3 lines 29-34, col.4 lines 26-30), wherein the scan order includes an identification of an item to be scanned and an address of at least one individual selected from a group comprising (A) recipients of the scanned document, and (B) recipients of notification of completion of the scan order, wherein the recipients of notification of completion of the scan order may comprise individuals other than the requestor that initiates the scan order; and sending the scanned image obtained by processing the scan order to the address included in the scan order (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et*

Art Unit: 2141

*al* by having at least one computer terminal adapted to receive input including any address for sending scanned image, the address being input by a requestor because the system has the ability to send the scanned image to a third party.

*Lo et al* in view of *Cunningham* does not teach displaying the identification of the item to be scanned in the scan order. However, *Maniwa et al* teach displaying the identification of the item to be scanned in the scan order (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53 where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by displaying the identification of the item to be scanned in the scan order because this allows the user to double check whether the correct order has been chosen for processing, and also notifies the user of which order is being currently processed by the scanner.

*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach wherein a computer terminal retrieves a scanner node having a suitable scan capability from among a plurality of scanner nodes, wherein the scanner node is retrieved based on an instruction by the local computer terminal, and wherein the scan order is created in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device based on the selected function(s) it is capable of performing via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to

Art Unit: 2141

modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al* by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Referring claim 24**, *Lo et al* teach an electronically-readable medium storing a computer program (col.23, lines 16-19) for permitting a computer to perform a method comprising the steps of creating a scan order; storing the scan order in a central database (col.15 lines 27-30); retrieving the scan order from the central database for processing at the scanner nodes designated in the scan order (col.1 lines 14-16 and col.2 lines 23-25); and updating the central database upon completion of the scan order (col.17 lines 12-15).

*Lo et al* does not teach creating a scan order including any address for sending scanned image set by a requestor's input performed through a computer network. *Cunningham* teaches creating a scan order including any address for sending scanned image set by a requestor's input performed through a computer network (col.3 lines 29-34, col.4 lines 26-30), wherein the scan order includes an identification of an item to be scanned and an address of at least one individual selected from a group comprising (A) recipients of the scanned document, and (B) recipients of notification of completion of the scan order, wherein the recipients of notification of completion of the scan order may comprise individuals other than the requestor that initiates the scan order (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* by having at least

one computer terminal adapted to receive input including any address for sending scanned image, the address being input by a requestor because the system has the ability to send the scanned image to a third party.

*Lo et al* in view of *Cunningham* does not teach displaying the identification of the item to be scanned in the scan order. However, *Maniwa et al* teach displaying the identification of the item to be scanned in the scan order (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53 where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by displaying the identification of the item to be scanned in the scan order because this allows the user to double check whether the correct order has been chosen for processing, and also notifies the user of which order is being currently processed by the scanner.

*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach wherein a computer terminal retrieves a scanner node having a suitable scan capability from among a plurality of scanner nodes, wherein the scanner node is retrieved based on an instruction by the local computer terminal, and wherein the scan order is created in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device based on the selected function(s) it is capable of performing via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to



Art Unit: 2141

modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al* by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Regarding claim 25,** *Lo et al* teach a computer network scanning method (col.23 lines 38-30) for fulfilling a scan order over a computer network having at least plural scanner nodes of which each has a scanner and a computer terminal connected to each scanner node through the computer network (col.2 lines 22-25), said method comprising the steps of: receiving the scan order, through the computer network; instructing the scanner to perform a scanning operation based on the scan order (col.1, lines 14-16 and col.23, lines 38-40).

*Lo et al* does not teach creating a scan order including any address for sending scanned image set by a requestor's input performed on the computer terminal. *Cunningham* teaches including at least one address for sending a scanned image set by a requestor's input performed on the computer terminal (col.3 lines 29-34, col.4 lines 26-30), wherein the scan order includes an identification of an item to be scanned and an address of at least one individual selected from a group comprising (A) recipients of the scanned document, and (B) recipients of notification of completion of the scan order, wherein the recipients of notification of completion of the scan order may comprise individuals other than the requestor that initiates the scan order; and sending the scanned image to the address included in the scan order through the computer network (abstract, col.3 lines 1-8, col.6 lines 9-13 and 25-34, col.7 lines 14-20 and 29-40, col.9 lines 58-61). Therefore it would have been obvious to one of ordinary skill in the art at the time

Art Unit: 2141

the invention was made to modify the network image scanning system of *Lo et al* by having at least one computer terminal adapted to receive input including any address for sending scanned image, the address being input by a requestor because the system has the ability to send the scanned image to a third party.

*Lo et al* in view of *Cunningham* does not teach displaying the identification of the item to be scanned in the scan order. *Maniwa et al* teach displaying the identification of the item to be scanned in the scan order (col.3 lines 40-67, col.28 lines 1-28, col.31 lines 21-53 where a scan profile is equivalent to a scan order). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* by displaying the identification of the item to be scanned in the scan order because this allows the user to double check whether the correct order has been chosen for processing, and also notifies the user of which order is being currently processed by the scanner.

*Lo et al* in view of *Cunningham* and *Maniwa et al* fail to explicitly teach wherein a computer terminal retrieves a scanner node having a suitable scan capability from among the plural scanner nodes of the computer network, wherein the scanner node is retrieved based on an instruction by the local computer terminal, and wherein the scan order is created in accordance with the scan capability of the retrieved scanner node. However, *Kumpf* teaches a peripheral server allowing a client on a network to select at least one function (such as, scanning) of a multi-function peripheral device connected to the network and enabling the client to access the multi-function peripheral device based on the selected function(s) it is capable of performing via a gateway (col.1 lines 38-42, col.2 lines 37-42, col.2 line 67-col.3 line 27, col.7 lines 17-27).

Art Unit: 2141

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the network image scanning system of *Lo et al* in view of *Cunningham* and *Maniwa et al* by having the client specify the functions/capabilities needed and then providing access to the device that has those functions/capabilities selected by the client. This provides an efficient way of allowing clients to access the type of peripheral device they need based on the abilities and features of the device.

**Referring to claim 2,** *Lo et al* in view of *Cunningham* and *Maniwa et al* and *Kumpf* teach the computer network scanning system of claim 1, *Lo et al* further teach the system further comprising a central database coupled via the computer network to each scanner node and to each terminal, the central database adapted to store and retrieve scan orders (col.15 lines 27-30).

**Regarding claim 5,** *Lo et al* in view of *Cunningham* and *Maniwa et al* and *Kumpf* teach the computer network scanning system of claim 4, *Lo et al* further teach wherein the scanner directory service module is a module selected from the group comprising (A) a database containing a capability profile for each scanner node on the computer network, the database populated by entering a capability profile for each scanner node before using the database (col.14 lines 54-55 and col.15 lines 27-30), and (B) a directory of capability profiles for the scanner nodes on the computer network generated on demand by a lookup/discovery software module (col.14 lines 40-45).

**Referring to claim 8,** *Lo et al* in view of *Cunningham* and *Maniwa et al* and *Kumpf* teach the computer network scanning method of claim 7, *Lo et al* further teach wherein the step of creating the scan order comprises the substeps of accessing from an order entry server computer a user interface module which permits input of the scan order from the terminal (col.26

Art Unit: 2141

lines 28-29); inputting from the terminal a desired set of scanner settings and parameters through the user interface module; reconciling the inputted scanner settings and parameters with a capability profile associated with each scanner node designated in the scan order; and converting the reconciled scanner settings and parameters into the scan order (col.12 lines 12-18, 25-27 and 32-35) using a script writer module associated with the order entry server computer (col.13 lines 55-56 ).

**Regarding claim 10**, *Lo et al* in view of *Cunningham* and *Maniwa et al* and *Kumpf* teach the method of claim 8, *Lo et al* further teach wherein the step of reconciling comprises the substeps of: (a) retrieving from a scanner directory service module the capability profile for each of the scanner nodes in the designated scan order; (col.10 line 39) (b) comparing the retrieved capability profiles of the scanner nodes with the scan order; and (c) when the scan order is inconsistent with a retrieved capability profile of a scanner node: (I) providing notification of the inconsistency through the user interface (col.12 lines 12-18, 26-28 and 32-35); and (II) executing one step selected from the group comprising (A) the selection of an alternative scanner node and repeating steps (a) through (c) above, and (B) the acceptance of the scanner node with the associated capability profile (col.12 lines 63-65 and col.13 lines 20-21).

**Referring to claim 22**, *Lo et al* in view of *Cunningham* and *Maniwa et al* and *Kumpf* teach the method of claim 21 *Lo et al* further teach wherein the step of updating the central database comprises deleting the scan order from the central database (col.17 lines 12-15).

5. **Claims 3 and 9** are rejected under 35 U.S.C. 103(a) as being unpatentable over *Lo et al* (US 5,911,044) in view of *Cunningham* (US 6,208,436), further in view of *Maniwa et al* (US

Art Unit: 2141

5,768,483) and *Kumpf* (US 6,581,098—*Kumpf*'098) and further in view of *Kumpf et al* (US 6,289,371—*Kumpf et al*'371).

**Regarding claim 3**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 teach the computer network scanning system of claim 1, as applied above. Yet, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 fail to explicitly teach each terminal has associated therewith browser software for inputting scan orders. However, *Kumpf et al*'371 teach each terminal has associated therewith browser software for inputting scan orders (col.2 lines 30-32). Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 by having each terminal has associated therewith browser software for inputting scan orders because the software is needed to instruct the hardware on how to process the scan orders.

**Regarding claim 9**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 teach the method of claim 8 as applied above, yet *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 fail to explicitly teach accessing comprises using Web browser software to retrieve a Web page, the Web page adapted to receive input concerning scanner settings and parameters. However, *Kumpf et al*'371 teach wherein the step of accessing comprises using Web browser software to retrieve a Web page, the Web page adapted to receive input concerning scanner settings and parameters (col.2 lines 30-32 and 41). Therefore it would have been obvious to one of ordinary skill in the art at the time that the invention was made to further modify the network image scanning system *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 by accessing comprises using Web browser software to retrieve a Web page, the Web page adapted

Art Unit: 2141

to receive input concerning scanner settings and parameters because a web page is an efficient manner of communication.

6. **Claims 6, 15, 16, 17 and 20** are rejected under 35 U.S.C. 103(a) as being unpatentable over *Lo et al* (US 5,911,044) in view of *Cunningham* (US 6,208,436), further in view of *Maniwa et al* (US 5,768,483) and *Kumpf* (US 6,581,098) and further in view of *Cukor et al* (US 5,168,444).

**Regarding claim 6**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the computer network scanning system of claim 1, as applied above. *Lo et al* further teach the system wherein each scanner node comprises: a user interface module (col.26 lines 28-29); a script interpreter module for parsing the scan order in order to obtain scanner settings and parameters contained therein, the script interpreter module coupled to the user interface module (col.13 lines 55-56); a scanner driver module adapted to receive an output of the script interpreter module and to set settings and parameters of the scanner node based on the output; a scanner module coupled to the scanner driver module and adapted to receive scanner settings and parameters from the scanner driver module and configured to produce a scanned image (col.12 lines 12-18 and 25-27); and an email server module coupled to the computer network, to the script interpreter module, and to the scanner module, the email server module configured to receive the scan order sent over the computer network, to send an electronic mail message containing the scanned image to any recipients indicated in the scan order, and to send an electronic mail message without the scanned image to any parties indicated in the scan order notifying such parties of the completion of the scan order (pg.1, sections 0001 ad 0002 and pg.2, sections 0026 and 0028 of *Cunningham*).

*Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* fail to teach of a scan order queue updater and sorter module. However, *Cukor et al* teach of a scan order queue updater and sorter module coupled to the user interface module and to the script interpreter module, the scan order queue updater and sorter module configured to update and sort a queue of a scanner node (col.11 lines 53-54). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* by having a scan order queue updater and sorter module because this keeps the scan orders organized for processing by the scanner node.

**Referring to claim 15**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the method of claim 7 as applied above, *Lo et al* further teach wherein the step of processing comprises the substeps of: selecting one of the scan orders; obtaining an item to be scanned as specified in the scan order (col.3 lines 25-27 and col.16 lines 10-12); setting the scanner node to desired settings and parameters as specified in the scan order (col.12 lines 50-51); placing the item to be scanned in the scanner node; initiating scanning; sending a scanned image as specified in the scan order using an email server module associated with the scanner node (pg. 1, section 0001 and pg.2, section 0026 of *Cunningham*); and sending notification using the email server module associated with the scanner node of completion of the scan order to any parties indicated in the scan order (pg.2, section 0028 of *Cunningham*).

*Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* fail to teach of a queue of scan orders. However, *Cukor et al* teach of selecting one of the scan orders in the queue of the scanner node (col.11 lines 53-54). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system

of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* by having a scan order queue because this keeps the scan orders organized for processing by the scanner node.

**Regarding claim 17**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the method of claim 7, as applied above, *Lo et al* further teach wherein the step of updating the scanner node(s) on the computer network comprises the substeps of requesting count reduction of the scan order when count is greater than one, and requesting removal of the scan order from the scanner node when count equals one (col.22 lines 21-25); determining whether the scan order has been sent to any other scanner node(s) in the computer network; and when the scan order has been sent to other scanner node(s) on the computer network, sending an electronic mail message using the email server module from the scanner node which processed the scan order to each other scanner node (pg.1, section 0001 and pg.2, section 0025), requesting (A) count reduction of the scan order when count is greater than one, and (B) removal of the scan order from each other scanner node when count equals one (col.22 lines 21-25).

*Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* does not teach of a queue of scan orders. However, *Cukor et al* teach of the removal of the scan order from the queue of the scanner node (col.11 lines 53-54). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* by having a scan order queue because this keeps the scan orders organized for processing by the scanner node.

**Referring to claim 20**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the computer network scanning system of claim 1, *Lo et al* further teach wherein each scanner node comprises: a user interface module (col.26 lines 28-29); a script interpreter module for



Art Unit: 2141

parsing the scan order in order to obtain scanner settings and parameters contained therein (col.13 lines 55-56); a scanner driver module coupled to the script interpreter module, the scanner driver module adapted to receive an output of the script interpreter module and to set settings and parameters of the scanner node based on the output (col.13 lines 47-48); a scanner module coupled to the scanner driver module and adapted to receive scanner settings and parameters from the scanner driver module and configured to produce a scanned image (col.13 lines 21-23); and an email server module coupled to the computer network and to the scanner module, the email server module configured to receive the scanned image from the scanner module, to send an electronic mail message containing the scanned image to any recipients indicated in the scan order, and to send an electronic mail message without the scanned image to any parties indicated in the scan order notifying such parties of the completion of the scan order (pg.1, section 0001 and pg. 2, section 0026 and 0028 of *Cunningham*).

*Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* does not teach of scan order retrieval, queue updater and sorter module. However, *Cukor et al* teach of the a scan order retrieval, queue updater and sorter module coupled to the computer network, to the user interface module, and to the script interpreter module, the scan order retrieval, queue updater and sorter module configured to retrieve scan orders from a central database and to update and sort retrieved scan orders in a queue in a scanner node (col.11 lines 53-54). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* by having a scan order queue because this keeps the scan orders organized for processing by the scanner node.

**Regarding claim 16**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf* teach the method of claim 15, *Lo et al* further teach the method wherein the step of setting the scanner node comprises the substeps of parsing the scan order using the script interpreter module associated with the scanner node; and sending commands to a scanner driver module associated with the scanner node based upon information obtained from the parsed scan order (col.13 lines 47-51 and 55-56).

7. **Claims 12, 13 and 14** are rejected under 35 U.S.C. 103(a) as being unpatentable over *Lo et al* (US 5,911,044) in view of *Cunningham* (US 6,208,436), further in view of *Maniwa et al* (US 5,768,483), *Kumpf* (US 6,581,098—*Kumpf*'098) and *Cukor et al* (US 5,168,444) and further in view of *Kumpf et al* (US 6,223,223—*Kumpf et al*'223).

**Regarding claim 12**, *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf*'098 teach the method of claim 7 as applied above, *Lo et al* and *Cukor et al* further teach wherein the step of processing comprises the substeps of invoking a scanning mode at the scanner node where the scan order is received (col.1 line 22 of *Lo et al*); parsing the scan order using a script interpreter module associated with the scanner node (col.13 lines 55-56 of *Lo et al*); updating a queue of scan orders (col.11 lines 53-54 of *Cukor et al*) at the scanner node using a process which eliminates from the queue all scan orders that are count-expired (col.22 lines 21-25 and Fig. 14B and 14C of *Lo et al*); prioritizing all scan orders in the updated queue according to a predetermined algorithm; and listing the prioritized scan orders (col.11 lines 54-56 of *Cukor et al*).

*Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf*'098 and *Cukor et al* fail to explicitly teach of time-expiration. However, *Kumpf et al*'223 teach using a process which

Art Unit: 2141

eliminates from the queue all scan orders that are time-expired (col.5 lines 15-16 and 57-58). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf'098* and *Cukor et al* by eliminating from the queue all scan orders that are time-expired because this will help to open up space for new orders when an order cannot be scanned or if a user does not close out a scan order in the system.

Referring to claim 13, *Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf'098* and *Cukor et al* teach the method of claim 12, *Lo et al* and *Cukor et al* further teach wherein the step of updating a queue of scanner orders at a scanner node (col.11, lines 53-54 of *Cukor et al*) comprises the substeps of (c) when not time-expired, determining whether the scan order has count expired; (d) when count-expired, removing the scan order from the queue; (e) when not count-expired, determining whether there is a count reduction notification associated with such scan order; and (f) when there is a count reduction notification, reduce count order associated with the scan order and repeat steps (a) through (f) above (col.22 lines 21-25 and Fig. 14B and 14C of *Lo et al*).

*Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf'098* and *Cukor et al* fail to explicitly teach of time-expiration of scan orders. *Kumpf et al'223* teach (a) determining whether the scan order has time-expired; (b) when time-expired, removing the scan order from the queue (col.5 lines 15-16 and 57-58). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf'098* and *Cukor et al* by eliminating from the queue all scan orders that are time-expired because this will help to open up space for

Art Unit: 2141

new orders when an order cannot be scanned or if a user does not close out a scan order in the system.

**Regarding claim 14,** *Lo et al* in view of *Cunningham*, *Maniwa et al*, *Kumpf'098* and *Cukor et al* teach the method of claim 12, as applied above.

*Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf'098* fail to explicitly teach a predetermined algorithm. However, *Cukor et al* teaches the predetermined algorithm is an algorithm selected from the group comprising (A) first-in first-out, (B) alphabetical, and (C) requestor-specified priority level (col.11 lines 54-56). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the network image scanning system of *Lo et al* in view of *Cunningham*, *Maniwa et al* and *Kumpf'098* by having a predetermined algorithm because an algorithm is needed to select which scan order to process when multiple orders are present.

### ***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: *Lo et al* (6425001), *Brusky et al* (6604157).

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristie Shingles whose telephone number is 571-272-3888. The examiner can normally be reached on Monday-Friday 8:30-6:00pm.


Art Unit: 2141

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

*Kristie Shingles*  
*Examiner*  
*Art Unit 2141*

*kds*

  
RUPAL DHARIA  
SUPERVISORY PATENT EXAMINER